

**SCS Global Services** does hereby certify that an independent assessment has been conducted on behalf of:

# LG Hausys, Ltd.

900 Circle 75 Parkway, Suite 1500, Atlanta, GA, USA

For the following product(s):

## Vinyl Tile:

Acoustic Looselay, Botanic, Crossfit, Decoclick, Decolay, Decotile 2.0T, Decotile 2.5T, Decotile 3.0T, Decotile 4.0T, Decotile 5.0T, Deco Wood, Denali, Econo, Econo Plus, Fine, Grande Style, Grand Teton, Hexagon, House, Loose Lay, OA Tile (P Type), Pike's Peak, PRESTG SPC Click, PRESTG SPC Gluedown, ZEA Maru Style, Artistry Gluedown, Artistry Click

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

## FloorScore®

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-01597

Valid from: April 1, 2021 to December 31, 2021

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



ANSI National Accreditation Board  
ACCREDITED  
ISO/IEC 17065  
PRODUCT CERTIFICATION  
BODY



A handwritten signature in black ink that reads "Stanley Mathuram".

Stanley Mathuram, PE, Vice President

SCS Global Services

2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA